

Living Enhanced



# KASTA 240V Solutions

POWERING INNOVATION

SWITCHES, POWERPOINTS & ISOLATORS



Edgy™ Series

Hesperus™ Series

ATMOS™ Series



# Edgy™ Series

SWITCH INTERFACES AND POWERPOINTS







## KASTA delivers simple, effective control solutions designed to enhance everyday living.

KASTA combines Australian design and engineering to deliver a state-of-the-art collection of control interfaces and devices, ensuring seamless connectivity and superior performance.

### Solutions



Residential



Multi-Residential



Serviced Apartments



Hotels



Offices



Commercial



Industrial

### Simple installation

- ✓ Suitable for retro-fitting or new builds
- ✓ Common industry standard footprint for ease of retro fit.
- ✓ Large terminals and combination head screws for fast fit-offs











**Edgy™ Series features a slim, clean design with modern bevelled edges that easily blends into today's modern environments, décor and lifestyles.**

There are various products available within the range including smart control options as well as traditional 240V switches and powerpoints for a consistent look and versatile control options.

HIGHLY  
POLISHED  
FINISH

7.8MM  
SLIM PLATE  
DEPTH

### EDGY™ SERIES

Unison™ Traditional 240V Switches



Gloss White



Matte Black





## Make it all match with Unison™

The Edgy™ Series of Unison™ switches and powerpoints feature an identical slim design with the same modern, bevelled edge to complete the look.




### **EDGY™ SERIES**


Unison™ Traditional 240V Powerpoints and Data/Communication Plates



## Edgy™ Unison™: behind the scenes



*Quality componentry and clever design for an enhanced installation experience*





A complementary range of 240V  
powerpoints to suit a wide variety of power  
outlet and data input requirements.



## EDGY™ Unison Powerpoints

/ Gloss White & Matte Black

Choose from single or double configurations, 10A or 15A power supply, horizontal or vertical orientations, a variety of extra aperture options, and white or matte black plate colours.



### COMMON SPECIFICATIONS

Dimensions	121 x 80 x 44mm
Plate Depth	7.8mm
Power Supply	220-240V a.c. 50Hz
Operating Ambient Temperature	-20 to 40°C
IP Rating	IP20
Current Rating	10 / 15A
Energy Monitor	0.01A to 10A
Terminal Size	16mm <sup>2</sup> (accommodates 4x2.5mm <sup>2</sup> cables)
Terminal Screw Type	Combination Flat / Philips Head Screws
Mounting Points	84mm / 100mm and Corners
Mounting Screw Type	Combination Flat / Philips Head Screws
Plate Colour (Finish)	White (Gloss) / Matte Black
Housing Material	Polycarbonate
Standards Complied	CoS SAA 183650, AS/NZS 60669.2.1, AS/NZS 60669.1, AS/NZS CISPR 15, AS/NZS 4268

### UNISON POWERPOINTS, GLOSS WHITE - 10A, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1 POWERPOINT	HORIZONTAL	EG1PPH-WH	5000123
1 POWERPOINT, W/ EXTRA SWITCH	HORIZONTAL	EG1PPHX-WH	5000300
2 POWERPOINTS	HORIZONTAL	EG2PPH-WH	5000124
2 POWERPOINT, W/ EXTRA SWITCH	HORIZONTAL	EG2PPHX-WH	5000126
2 POWERPOINT, W/ EXTRA APERTURE	HORIZONTAL	EG2PPHX-WH	5000125
2 POWERPOINTS W/ USB A+C	HORIZONTAL	EG2PPHU2AC-WH	7500146
1 POWERPOINT	VERTICAL	EG1PPV-WH	5000313
2 POWERPOINTS	VERTICAL	EG2PPV-WH	5000315

### UNISON POWERPOINTS, MATTE BLACK -10A, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1 POWERPOINT	HORIZONTAL	EG1PPH-MBK	5000299
1 POWERPOINT, W/ EXTRA BUTTON	HORIZONTAL	EG1PPHX-MBK	5000301
2 POWERPOINTS	HORIZONTAL	EG2PPH-MBK	5000304
2 POWERPOINT, W/ EXTRA BUTTON	HORIZONTAL	EG2PPHX-MBK	5000308
2 POWERPOINT, W/ EXTRA APERTURE	HORIZONTAL	EG2PPHX-MBK	5000307
2 POWERPOINTS W/ USB A+C	HORIZONTAL	EG2PPHU2AC-MBK	7500147
1 POWERPOINT	VERTICAL	EG1PPV-MBK	5000314
2 POWERPOINTS	VERTICAL	EG2PPV-MBK	5000316

### UNISON POWERPOINTS, GLOSS WHITE - 15A, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1 POWERPOINT	HORIZONTAL	EG1PP15H-WH	5000302

### UNISON POWERPOINTS, MATTE BLACK -15A, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1 POWERPOINT	HORIZONTAL	EG1PP15H-MBK	5000303

# Edgy™ Unison

/ Assembled Switches

1 to 6-button vertical assembled switches.



## COMMON SPECIFICATIONS

Dimensions	120 x 80 x 27mm
Plate Depth	7.8mm
Power Supply	220-240V a.c.
IP Rating	IP20
Current Rating	10A
Operating Ambient Temperature	-20 to 40°C
Terminal Size	4.1mm bore (accommodates 4x1.5mm <sup>2</sup> cables)
Terminal Screw Type	Flat Terminal Screw
Mounting Points	84mm / 103mm and Corners
Mounting Screw Type	Combination Flat / Philips Head Screws
Plate Colour (Finish)	White (Gloss) / Matte Black
Housing Material	Polycarbonate
Standards Complied	AS/NZS 3100, AS/NZS 3133

## UNISON SWITCHES, GLOSS WHITE - 10AX, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	VERTICAL	EG1ASV-WH	5000117
2-GANG	VERTICAL	EG2ASV-WH	5000118
3-GANG	VERTICAL	EG3ASV-WH	5000119
4-GANG	VERTICAL	EG4ASV-WH	5000120
5-GANG	VERTICAL	EG5ASV-WH	5000121
6-GANG	VERTICAL	EG6ASV-WH	5000122

## UNISON SWITCHES, MATTE BLACK - 10AX, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	VERTICAL	EG1ASV-MBK	5000273
2-GANG	VERTICAL	EG2ASV-MBK	5000274
3-GANG	VERTICAL	EG3ASV-MBK	5000275
4-GANG	VERTICAL	EG4ASV-MBK	5000276
5-GANG	VERTICAL	EG5ASV-MBK	5000277
6-GANG	VERTICAL	EG6ASV-MBK	5000278

# Edgy™ Unison

/ Assembled Switches

1 to 6-button horizontal assembled switches.

## UNISON SWITCHES, GLOSS WHITE - 10AX, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	HORIZONTAL	EG1ASH-WH	5000287
2-GANG	HORIZONTAL	EG2ASH-WH	5000289
3-GANG	HORIZONTAL	EG3ASH-WH	5000291
4-GANG	HORIZONTAL	EG4ASH-WH	5000293
5-GANG	HORIZONTAL	EG5ASH-WH	5000295
6-GANG	HORIZONTAL	EG6ASH-WH	5000297

## UNISON SWITCHES, MATTE BLACK - 10AX, 250V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	HORIZONTAL	EG1ASH-MBK	5000288
2-GANG	HORIZONTAL	EG2ASH-MBK	5000290
3-GANG	HORIZONTAL	EG3ASH-MBK	5000292
4-GANG	HORIZONTAL	EG4ASH-MBK	5000294
5-GANG	HORIZONTAL	EG5ASH-MBK	5000296
6-GANG	HORIZONTAL	EG6ASH-MBK	5000298






## Edgy™ Unison

/ Grid Plates and Covers

1 to 6-button grid plates and covers for use with KASTA mechanisms.



### UNISON EDGY GRID PLATES & COVERS, GLOSS WHITE - IP20

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
BLANK COVER	VERTICAL	EGIV-WH	5000279
1-GANG	VERTICAL	EG1SVH-WH	5000111
2-GANG	VERTICAL	EG2SVH-WH	5000112
3-GANG	VERTICAL	EG3SVH-WH	5000113
4-GANG	VERTICAL	EG4SVH-WH	5000114
5-GANG	VERTICAL	EG5SVH-WH	5000115
6-GANG	VERTICAL	EG6SVH-WH	5000116

### UNISON EDGY GRID PLATES & COVERS, MATTE BLACK - IP20

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
BLANK COVER	VERTICAL	EGIV-MBK	5000280
1-GANG	VERTICAL	EG1SVH-MBK	5000281
2-GANG	VERTICAL	EG2SVH-MBK	5000282
3-GANG	VERTICAL	EG3SVH-MBK	5000283
4-GANG	VERTICAL	EG4SVH-MBK	5000284
5-GANG	VERTICAL	EG5SVH-MBK	5000285
6-GANG	VERTICAL	EG6SVH-MBK	5000286

A wide range of Pictogram Button Caps are available to choose from to suit KASTA smart mechanisms that fit into Edgy™ Series grid plate and covers.

#### COMMON SPECIFICATIONS

Dimensions	120 x 78 x 7.8mm
Plate Depth	7.8mm
IP Rating	IP20
Terminal Size	4.1mm bore (accommodates 4x1.5mm <sup>2</sup> cables)
Terminal Screw Type	Flat Terminal Screw
Mounting Points	84mm / 103mm and Corners
Mounting Screw Type	Combination Flat / Philips Head Screws
Plate Colour (Finish)	White (Gloss) / Matte Black
Housing Material	Polycarbonate

Choose from a wide range of KASTA mechanisms to suit your Edgy™ Grid Plates and Covers:

## MECHANISMS

### Unison™ Mechanisms

/ Push Button ON/OFF

/ Push Button Cap



PRODUCT CODE	SAP CODE
MEPBL1440-WH	5000196



PRODUCT CODE	SAP CODE
KMCAP-CT-MBK	5000466

/ Rocker Switches



Gloss White



Matte Black



MR10-WH  
Single Pole  
1/2 way 10AX 250V



MR10-MBK  
Single Pole  
1/2 way 10AX 250V



MRD10-WH  
Double Pole  
1 way 10AX 250V



MRD10-MBK  
Double Pole  
1 way 10AX 250V



MRD35-WH  
Double Pole  
1 way 35A 250V



MRD35-MBK  
Double Pole  
1 way 35A 250V



MRD35HOB-WH  
Double Pole  
1 way 35A 250V



MRD35HOB-MBK  
Double Pole  
1 way 35A 250V



MRMPRESS-WH  
Single Pole  
1 way 16A 250V



MRMPRESS-MBK  
Single Pole  
1 way 16A 250V



MRINT10-WH  
Intermediate 3 way  
10A 250V




MRINT10-MBK  
Intermediate 3 way  
10A 250V

DESCRIPTION	COLOUR	PRODUCT CODE	SAP CODE
SINGLE POLE 1/2 WAY 10AX 250V	GLOSS WHITE	MR10-WH	5000127
	MATTE BLACK	MR10-MBK	5000490
DOUBLE POLE 1 WAY 10AX 250V	GLOSS WHITE	MRD10-WH	5000128
	MATTE BLACK	MRD10-MBK	5000469
DOUBLE POLE 1 WAY 35A 250V	GLOSS WHITE	MRD35-WH	5000129
	MATTE BLACK	MRD35-MBK	5000470
DOUBLE POLE 1 WAY 35A 250V MARKED 'HOB'	GLOSS WHITE	MRD35HOB-WH	5000130
	MATTE BLACK	MRD35HOB-MBK	5000491
SINGLE POLE 1 WAY 10AX 250V MARKED 'PRESS'	GLOSS WHITE	MRMPRESS-WH	5000131
	MATTE BLACK	MRMPRESS-MBK	5000471
INTERMEDIATE, 10A, 250V	GLOSS WHITE	MRINT10-WH	5000487
	MATTE BLACK	MRINT10-MBK	5000488

## Unison™ Mechanisms

### / Data & Communications



DESCRIPTION	COLOUR	PRODUCT CODE	SAP CODE
HDMI	GLOSS WHITE	MHDMI-WH	5000337
	MATTE BLACK	MHDMI-MBK	5000492
RJ45, CAT6	GLOSS WHITE	MRJ45C6-WH	5000254
	MATTE BLACK	MRJ45C6-MBK	5000493
RJ11, TEL	GLOSS WHITE	MRJ11-WH	5000342
	MATTE BLACK	MRJ11-MBK	5000494
TV, Coaxial	GLOSS WHITE	MTVC-WH	5000344
	MATTE BLACK	MTVC-MBK	5000495
TV, F Type	GLOSS WHITE	MTVF-WH	5000346
	MATTE BLACK	MTVF-MBK	5000496



**MU2AC-WHBKMBK**  
USB Type A+C  
Including White, and  
Matte Black caps

DESCRIPTION	COLOUR	PRODUCT CODE	SAP CODE
USB Mechanism	WHITE, MATTE BLACK	MU2AC-WHBKMBK	5000432






Living Enhanced 

# Hesperus™ Series

UNISON™ 240V SWITCHES AND POWERPOINTS



Choose from a wide range of KASTA mechanisms  
to suit your HESPERUS™ Grid Plates and Covers.



## Inspirational **design**

KASTA Technologies has created a series of products that embody the essence of design, attention to detail, cutting-edge technology and innovation.

The Hesperus™ Series of Unison™ 240V switches and powerpoints offer a contemporary design that was created to be adaptable to suit changing interior design and aesthetic trends.



KEY COLLABORATOR:  
*Piero Quintiliani - PQ Design Studio, Pisa, Milano ITALY*









*Instantly* **enhance**


## Unison™ switches

The Hesperus™ Series of Unison™ switches feature a modern, slim design with a luxury glass-look finish. These switches will instantly upgrade interior spaces and have the option of being simply retrofit to existing wall mount accessories.



# Unison™ switches

Choice of 6 configurations



HIGHLY  
POLISHED  
FINISH

SCRATCH  
PROTECTIVE  
FILM


9.8MM  
SLIM PLATE  
DEPTH

5 YEAR  
WARRANTY

Gloss White

Gloss Black

*Form and function comes together to deliver*






## Unison™ powerpoints

The Hesperus™ Series of Unison™ 10A powerpoints also feature a modern, slim design with a luxury glass-look finish that's completed with complementary gloss-finish sockets. These powerpoints are offered in a range of configurations and include many design features to enhance aesthetics, ease of installation and ensure safety.




# Unison™ powerpoints

Choice of 5 configurations



*Premium powerpoints that offer convenient*





Add ***push buttons*** or  
***data mechs*** with ease





## Unison™ plate solutions

KASTA offers a range of mechanisms that easily install into our Hesperus™ series of luxurious wall plates.





## Unison™ wall plates

includes grid plate and cover

HIGHLY  
POLISHED  
FINISH

Suitable for all KASTA push  
button mechanisms

Suitable for all KASTA data and  
communications mechanisms


9.8MM  
SLIM PLATE  
DEPTH

SCRATCH  
PROTECTIVE  
FILM

5 YEAR  
WARRANTY

## Unison™ mechanisms

Whether charging your mobile devices, connecting your tv aerial or simply changing from traditional rocker switching to push button interaction, we've made it simple to use Hesperus™ switch plates throughout the home.



Push button mechanisms with blue LED indicator, fits up to 6 Gang in the Hesperus™ Unison™ switch plate.



# Specify Unison™

## Hesperus™ Unison

### / Powerpoints

A complementary range of 240V powerpoints to suit a wide variety of power outlet and data input requirements.

Choose from single or double configurations and horizontal or vertical orientations, a variety of extra aperture options, and white or black plate colours.



#### SPECIFICATIONS

Dimensions	121 x 80 x 44mm
Plate Depth	9.8mm
Power Supply	220-240V a.c. 50Hz
Operating Ambient Temperature	-20 to 40°C
IP Rating	IP20
Current Rating	10A
Terminal Size	16mm <sup>2</sup> (accommodates 4x2.5mm <sup>2</sup> cables)
Terminal Screw Type	Combination Flat / Phillips Head Screws
Mounting Points	84mm / 100mm and Corners
Mounting Screw Type	Combination Flat / Phillips Head Screws
Frame Colour (Finish)	Black (Gloss)
Plate Colour (Finish)	White / Black (Gloss)
Housing Material	Acrylic / Polycarbonate
Standards Complied	CoS SAA 183650, AS/NZS 60669.2.1, AS/NZS 60669.1, AS/NZS CISPR 15, AS/NZS 4268

#### HESPERUS POWERPOINTS, GLOSS WHITE - 10A, 220-240V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1 POWERPOINT	HORIZONTAL	H1PPH-WH	5000078
2 POWERPOINTS	HORIZONTAL	H2PPH-WH	5000219
2 POWERPOINT	HORIZONTAL	H2PPHXA-WH	5000373
2 POWERPOINT, W/ EXTRA APERTURE	HORIZONTAL	H2PPHX-WH	5000371
2 POWERPOINTS, W/ USB A+C	HORIZONTAL	H2PPHU2AC-WH	7500148

#### HESPERUS POWERPOINTS, GLOSS BLACK- 10A, 220-240V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1 POWERPOINT	HORIZONTAL	H1PPH-BK	5000217
2 POWERPOINTS	HORIZONTAL	H2PPH-BK	5000220
2 POWERPOINT	HORIZONTAL	H2PPHXA-BK	5000374
2 POWERPOINT, W/ EXTRA APERTURE	HORIZONTAL	H2PPHX-BK	5000372
2 POWERPOINTS, W/ USB A+C	HORIZONTAL	H2PPHU2AC-BK	7500149



# Specify Unison™

## HESPERUS™ UNISON™ SWITCHES

/ Gloss White (10AX, 250a.c. Vertical)



H1ASV-WH



H2ASV-WH



H3ASV-WH



H4ASV-WH



H5ASV-WH



H6ASV-WH

/ Gloss Black (10AX, 250a.c. Vertical)



H1ASV-BK



H2ASV-BK



H3ASV-BK



H4ASV-BK



H5ASV-BK



H6ASV-BK

*/ Gloss White (10AX, 250a.c. Horizontal)*



H1ASH-WH

H2ASH-WH

H3ASH-WH



H4ASH-WH

H5ASH-WH

H6ASH-WH

*/ Gloss Black (10AX, 250a.c. Horizontal)*



H1ASH-BK

H2ASH-BK

H3ASH-BK



H4ASH-BK


H5ASH-BK

H6ASH-BK

## Hesperus™ Unison

/ Assembled Switches

1 to 6-button vertical assembled switches.



## Hesperus™ Unison

/ Assembled Switches

1 to 6-button vertical assembled switches.



### HESPERUS SWITCHES, GLOSS WHITE - 10A, 220-240V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	HORIZONTAL	H1ASH-WH	7500133
2-GANG	HORIZONTAL	H2ASH-WH	7500136
3-GANG	HORIZONTAL	H3ASH-WH	7500138
4-GANG	HORIZONTAL	H4ASH-WH	7500140
5-GANG	HORIZONTAL	H5ASH-WH	7500142
6-GANG	HORIZONTAL	H6ASH-WH	7500144

### HESPERUS SWITCHES, GLOSS BLACK - 10A, 220-240V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	HORIZONTAL	H1ASH-BK	7500134
2-GANG	HORIZONTAL	H2ASH-BK	7500135
3-GANG	HORIZONTAL	H3ASH-BK	7500137
4-GANG	HORIZONTAL	H4ASH-BK	7500139
5-GANG	HORIZONTAL	H5ASH-BK	7500141
6-GANG	HORIZONTAL	H6ASH-BK	7500143

### SPECIFICATIONS

Dimensions	120 x 80 x 27.4mm
Plate Depth	9.8mm
Power Supply	220-240V a.c.
IP Rating	IP20
Current Rating	10A
Operating Ambient Temperature	-20 to 40°C
Terminal Size	4.1mm bore (accommodates 4x1.5mm <sup>2</sup> cables)
Terminal Screw Type	Flat Terminal Screw
Mounting Points	84mm / 103mm and Corners
Mounting Screw Type	Combination Flat / Philips Head Screws
Frame Colour (Finish)	Black (Gloss)
Plate Colour (Finish)	White / Black (Gloss)
Housing Material	Acrylic / Polycarbonate
Standards Complied	AS/NZS 3100, AS/NZS 3133

### HESPERUS SWITCHES, GLOSS WHITE - 10A, 220-240V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	VERTICAL	H1ASV-WH	5000198
2-GANG	VERTICAL	H2ASV-WH	5000201
3-GANG	VERTICAL	H3ASV-WH	5000204
4-GANG	VERTICAL	H4ASV-WH	5000207
5-GANG	VERTICAL	H5ASV-WH	5000210
6-GANG	VERTICAL	H6ASV-WH	5000213

### HESPERUS SWITCHES, GLOSS BLACK - 10A, 220-240V A.C.

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	VERTICAL	H1ASV-BK	5000199
2-GANG	VERTICAL	H2ASV-BK	5000202
3-GANG	VERTICAL	H3ASV-BK	5000205
4-GANG	VERTICAL	H4ASV-BK	5000208
5-GANG	VERTICAL	H5ASV-BK	5000211
6-GANG	VERTICAL	H6ASV-BK	5000214


### SPECIFICATIONS

Dimensions	120 x 80 x 27.4mm
Plate Depth	9.8mm
Power Supply	220-240V a.c.
IP Rating	IP20
Current Rating	10A
Operating Ambient Temperature	-20 to 40°C
Terminal Size	4.1mm bore (accommodates 4x1.5mm <sup>2</sup> cables)
Terminal Screw Type	Flat Terminal Screw
Mounting Points	84mm / 103mm and Corners
Mounting Screw Type	Combination Flat / Philips Head Screws
Frame Colour (Finish)	Black (Gloss)
Plate Colour (Finish)	White / Black (Gloss)
Housing Material	Acrylic / Polycarbonate
Standards Complied	AS/NZS 3100, AS/NZS 3133

## Hesperus™ Unison

### / Grid Plates and Covers

1 to 6-button grid plates and covers for use with KASTA mechanisms.



A wide range of Pictogram Button Caps are available to choose from to suit KASTA smart mechanisms that fit into Hesperus™ and grid plate and covers.

#### SPECIFICATIONS

Dimensions	120 x 80 x 9.8mm
Plate Depth	9.8mm
IP Rating	IP20
Terminal Size	4.1mm bore (accommodates 4x1.5mm <sup>2</sup> cables)
Terminal Screw Type	Flat Terminal Screw
Mounting Points	84mm / 103mm and Corners
Mounting Screw Type	Combination Flat / Philips Head Screws
Frame Colour (Finish)	Black (Gloss)
Plate Colour (Finish)	White / Black (Gloss)
Housing Material	Acrylic / Polycarbonate

#### HESPERUS PLATES AND COVERS, GLOSS WHITE - IP20

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	VERTICAL	H1SVH-WH	5000359
2-GANG	VERTICAL	H2SVH-WH	5000360
3-GANG	VERTICAL	H3SVH-WH	5000361
4-GANG	VERTICAL	H4SVH-WH	5000362
5-GANG	VERTICAL	H5SVH-WH	5000363
6-GANG	VERTICAL	H6SVH-WH	5000364

#### HESPERUS PLATES AND COVERS, GLOSS BLACK - IP20

DESCRIPTION	PRODUCT TYPE	PRODUCT CODE	SAP CODE
1-GANG	VERTICAL	H1SVH-BK	5000365
2-GANG	VERTICAL	H2SVH-BK	5000366
3-GANG	VERTICAL	H3SVH-BK	5000367
4-GANG	VERTICAL	H4SVH-BK	5000368
5-GANG	VERTICAL	H5SVH-BK	5000369
6-GANG	VERTICAL	H6SVH-BK	5000370

## HESPERUS™ UNISON™ SWITCHES GRID PLATE & COVERS

### / Gloss White (Vertical)



H1SVH-WH

H2SVH-WH

H3SVH-WH

H4SVH-WH

H5SVH-WH

H6SVH-WH

### / Gloss Black (Vertical)



H1SVH-BK

H2SVH-BK

H3SVH-BK

H4SVH-BK

H5SVH-BK

H6SVH-BK



Choose from a wide range of KASTA mechanisms  
to suit your HESPERUS™ Grid Plates and Covers.



# Unison™ Mechanisms

## DATA & COMMUNICATIONS

### / DATA MECHANISM RJ45 CAT6 (White / Black)



MRJ45C6-WH

MRJ45C6-BK

### / TEL MECHANISM RJ11 (White / Black)



MRJ11-WH

MRJ11-BK

### / TV MECHANISM COAXIAL (White / Black)



MTVC-WH

MTVC-BK

### / TV MECHANISM F TYPE (White / Black)



MTVF-WH

MTVF-BK

### / USB CHARGER MODULE, TYPE A+C, OUTPUT 2.4A (Including White, Black and Matte Black caps)



MU2AC-WHBKMBK

### / HDMI 2.0 MECHANISM (White / Black)



MHDMI-WH

MHDMI-BK

DESCRIPTION	COLOUR	PRODUCT CODE	SAP CODE
RJ45, CAT6	GLOSS WHITE	MRJ45C6-WH	5000254
	GLOSS BLACK	MRJ45C6-BK	4500583
RJ11, TEL	GLOSS WHITE	MRJ11-WH	5000342
	GLOSS BLACK	MRJ11-BK	4500584
TV, Coaxial	GLOSS WHITE	MTVC-WH	5000344
	GLOSS BLACK	MTVC-BK	4500585
TV, F Type	GLOSS WHITE	MTVF-WH	5000346
	GLOSS BLACK	MTVF-BK	4500586
USB Mechanism	WHITE,BLACK,MATTE BLACK	MU2AC-WHBKMBK	5000432
HDMI	GLOSS WHITE	MHDMI-WH	5000337
	GLOSS BLACK	MHDMI-BK	4500582







# ATMOS™ Series

POWERPOINTS, SWITCH INTERFACES AND ISOLATORS



# ATMOS™ Series

POWERPOINTS, SWITCH INTERFACES AND ISOLATORS

## Simple installation

- ✓ Suitable for retro-fitting or new builds
- ✓ Common industry standard footprint for ease of retro fit
- ✓ Multiple knock-outs for flexible cable entry points
- ✓ Large terminals and combination head screws for fast fit-offs

## Weatherproof Powerpoints

Discover the versatility and durability of our Weatherproof Powerpoint Range, designed to withstand demanding environments while ensuring safety and style for both residential and commercial applications.

### Key features include:

**Versatile Configurations:** Choose from single, single square, double, or double with an extra switch, tailored to your needs.

**Exceptional Protection:** Rated IP54, eliminating the need for additional plastic covers, making it perfect for “ZONE 2” areas like pools, wet areas, and ponds, as per AS/NZS3000.

**Enhanced Safety:** Features sealed safety shutters and UV-stabilised materials to prevent discoloration and maintain durability over time.

**Effortless Installation:** Includes multiple mounting options, colour-coded terminals for easy identification, and back mounting boxes with 20mm and 25mm plain entries, supporting various installation locations.

**Seamless Design:** Matches the styling of the Atmos range of weatherproof switches, providing a cohesive look across all installations.



Residential



Multi-Residential



Commercial



Industrial







Soft touch siliconised Switches  
for Non-Slip Grip

Sturdy Sliders for comfortable  
and durable operation

Four 25mm plain, and one 25mm  
screwed entry as well as two 25mm  
rear entry cut outs and one 25mm  
push out for back wiring.

IP54

10A rated

Safety Shutters

Single pole two  
way with looping  
terminal

Ergonomically angled  
screw terminals with  
deep carburized steel  
screw heads

Back box is common with  
Clipsal WSC227/2 switched  
sockets.

Raised insulation barriers  
for extra protection  
against copper exposure  
and arcing

Easier to access  
terminals, faster  
to fit-off

Large terminals to  
accommodate  
up to 4 x 2.5mm<sup>2</sup> cables

Co-injection gasket and  
a mechanism shroud for  
additional protection

## UNISON™ Powerpoints

### Unison Atmos Weatherproof Powerpoint

/ Single, Square, 10A 250V a.c., IP54, Grey



ATPP1S-GY  
SAP CODE: 5000250

### Unison Atmos Weatherproof Powerpoint

/ Single, Rectangular, 10A 250V a.c., IP54, Grey



ATPP1-GY  
SAP CODE: 5000251

### Unison Atmos Weatherproof Powerpoint

/ Double, Rectangular, 10A 250V a.c., IP54, Grey



ATPP2N-GY  
SAP CODE: 5000252

### Unison Atmos Weatherproof Powerpoint

/ Double, Rectangular, 10A with Extra Switch, 250V a.c., IP54, Grey



ATPP2X-GY  
SAP CODE: 5000253

## Weatherproof Switch Range

Introducing our Weatherproof Switch Range, designed for reliability and durability in both residential and commercial environments. Rated at 16A 250V~, these switches are engineered to withstand tough conditions while maintaining exceptional performance and style.

### Key features include:

**Versatile Options:** Available in single and double switch configurations with a heavy-duty mechanism and secure screw fittings.

**Durable Construction:** Made from UV-stabilised polycarbonate to prevent discolouration and ensure longevity in outdoor conditions.

**Enhanced Protection:** Featuring an IP66 rating, these switches provide superior resistance to water, dust, and other harmful elements, making them perfect for outdoor and challenging environments such as gardens, carports, workshops, and building exteriors.

**Practical Design:** Includes back mounting boxes with 20mm and 25mm plain entries to accommodate various installation requirements and terminals that support looping to other devices or side-by-side installations.

**Seamless Aesthetic:** Styled to match the Atmos range of weatherproof powerpoints, ensuring a cohesive look across your installations.

Whether for damp, dusty, or exterior spaces, this range delivers the ultimate combination of functionality, durability, and style.



Residential



Multi-Residential



Commercial




Industrial










Back box is common with Clipsal WSC227/2 switched sockets.

Ergonomically angled screw terminals with deep carburized steel screw heads



## UNISON™ Switches

### Unison Atmos Weatherproof Switch

/ 1 Gang, 16A, 250V a.c., IP66, Grey



ATS116-GY  
SAP CODE: 5000329

### Unison Atmos Weatherproof Switch

/ 2 Gang, 16A, 250V a.c., IP66, Grey



ATS116/2-GY  
SAP CODE: 5000330

## High-Performance Weatherproof Isolators

Engineered for industrial and demanding applications, the Weatherproof Isolator Range delivers top-tier performance and reliability with robust construction and enhanced safety features.

### Key features include:

**Superior Protection:** With a high IP66 rating, these isolators guard against water, dust, and other harsh elements, ensuring dependable operation in challenging environments.

**Enhanced Security:** Pad-lockable in the off position (suits 6mm shackle) for added safety during maintenance or downtime.

**Durable and Reliable:** UV-stabilised materials prevent discoloration, and switches are mounted on a stable base for long-term durability.

**Simplified Installation:** Equipped with multiple mounting facilities, color-coded terminals, and entries including 4 x 25mm threaded and 2 x plain reducers (25/20), accommodating various installation needs.

**User-Friendly Design:** Covers are secured with fast-action retention screws for quick access, while earth and neutral cables are firmly secured with two screws on both line and load sides.

**Peace of Mind:** Backed by a 5-year warranty, offering confidence in every installation.



Residential



Multi-  
Residential



Commercial



Industrial







Entries: 4 x 25mm threaded.  
2 x 25mm entry on rear.



## UNISON™ Isolators

### Unison Atmos Weatherproof Isolator

/ 1 pole, Large, IP66, Grey, AC23

20A 250V a.c. M.100



ISLS20A1P  
SAP CODE: 5000461

35 A 250V a.c. M.180



ISLS35A1P  
SAP CODE: 5000462

63A 250V a.c. M.200



ISLS63A1P  
SAP CODE: 5000463

### Unison Atmos Weatherproof Isolator

/ 3 pole, Large, IP66, Grey, AC23

20A 250V a.c. M.100



ISLS20A3P  
SAP CODE: 5000458

35 A 250V a.c. M.140




ISLS35A3P  
SAP CODE: 5000459

63 A 250V a.c. M.200



ISLS63A3P  
SAP CODE: 5000460



Contact **KASTA**

02 9168 5900

[kasta.com.au](http://kasta.com.au)



Living **Enhanced**